This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

09737634 Michael J. Simitoski Michael.Simitoski@uspto.gov (703) 305-8191

Google

ldap types of attributes ("multi value" OR "multiple value" OR "multi-value" OR "multiple-value")

password database
cfldap
store general passwords compare entered password to all stored passwords
database compares all passwords for match
"multiple passwords" authentication manager
multiple passwords same user
password multivalue attribute

ACM

+ldap +password +application +authentication +access +problems +passwords

<u>IEEE</u>

ldap <and> password <and> application <and> authentication <and> access ldap <and> password ldap <and> authentication authentication server ldap server store password passwords "same password"

Applications/Patents from Inventor Search



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library O The Guide

+ldap +password +application +authentication +access

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Published since January 1947 and Published before January 2001 Terms used Idap password application authentication access

Found 16 of 107.285

Sort results

by

results

Display expanded form

relevance

Save results to a Binder 2 Search Tips ☐ Open results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 16 of 16

hyperDRIVE: leveraging LDAP to implement RBAC on the Web

window

November 1997 Proceedings of the second ACM workshop on Role-based access control

Full text available: pdf(630.24 KB)

Additional Information: full citation, references, citings, index terms

Early adopters an internet 2 middleware project ay Graham, Jeffrey Cepull

October 2000

Full text available

LDAP

inual ACM SIGUCCS conference on User

iformation: full citation, references, index terms

Keywords:

pperability, middleware

Challenges in systems: usin Gerald A. Winte October 1993 Pr

Full text available: mpdf(1.06 MB)

Full text available: 1

An integral pa

ging heterogeneous distributed computing

ference of the Centre for Advanced Studies stributed computing - Volume 2

rmation: full citation, abstract, references

s distributed computing systems is an our research is to specify a methodology for the

information re design, analysis, and comparison of information repositories for such systems. We first outline the general characteristics of data repositories, including requirements and data model features. Then we build an experimental prototype system to test two candidate repositories: X.500 and AFS (Andrew File System). Performance an ...

Improving the aircraft design process using Web-based modeling and simulation John A. Reed, Gregory J. Follen, Abdollah A. Afjeh

January 2000 ACM Transactions on Modeling and Computer Simulation (TOMACS), Volume 10 Issue 1

Additional Information: full citation, abstract, references, index terms

6/28/04

Designing and developing new aircraft systems is time-consuming and expensive. Computational simulation is a promising means for reducing design cycle times, but requires a flexible software environment capable of integrating advanced multidisciplinary and multifidelity analysis methods, dynamically managing data across heterogeneous computing platforms, and distributing computationally complex tasks. Web-based simulation, with its emphasis on collaborative composition of simulation models, ...

Keywords: Java, Web-based simulation, aircraft design, object-oriented

5 Using policies for effective network management Michele J. Wright

March 1999 International Journal of Network Management, Volume 9 Issue 2

Full text available: pdf(469.84 KB) Additional Information: full citation, abstract, index terms

The goal of policy-based management is to reduce the complex administration of networks. Copyright © 1999 John Wiley & Sons, Ltd.

6 Decentralized user-role assignment for Web-based intranets
Ravi Sandhu, Joon S. Park

October 1998 Proceedings of the third ACM workshop on Role-based access control

Full text available: pdf(1.35 MB) Additional Information: full citation, references, citings, index terms

7 SaveMe: a system for archiving electronic documents using messaging groupware Stefan Berchtold, Alexandros Biliris, Euthimios Panagos

March 1999 ACM SIGSOFT Software Engineering Notes, Proceedings of the international joint conference on Work activities coordination and collaboration, Volume 24 Issue 2

Full text available: pdf(1.47 MB) Additional Information: full citation, abstract, references, index terms

Today, organizations deal with an ever-increasing number of documents that have to be archived because they are either related to their core business (e.g., product designs) or needed to meet corporate or legal retention requirements (e.g., voucher). In this paper, we present the architecture and prototype implementation of SaveMe, a document archival system that is based on network-centric groupware such as Internet standards-based messaging systems. In SaveMe, the actions of archiving, retriev ...

Keywords: Internet, archiving, groupware, messaging

8 A grid-enabled MPI: message passing in heterogeneous distributed computing systems

Ian Foster, Nicholas T. Karonis

November 1998 Proceedings of the 1998 ACM/IEEE conference on Supercomputing (CDROM)

Full text available: html(52.16 KB) Additional Information: full citation, abstract, references, citings

Application development for high-performance distributed computing systems, or computational grids as they are sometimes called, requires ``grid-enabled" tools that hide mundane aspects of the heterogeneous grid environment without compromising performance. As part of an investigation of these issues, we have developed MPICH-G, a grid-enabled implementation of the Message Passing Interface (MPI) that allows a user to run MPI programs across multiple computers at different sites using the same co ...

Keywords: MPI, MPICH, Message Passing Interface, computational grids, globus, metacomputing

9 The evolution of the DARWIN system
Joan D. Walton, Robert E. Filman, David J. Korsmeyer



Full text available: pdf(897.54 KB) Additional Information: full citation, references, index terms

Keywords: DARWIN, WWW applications, collaborative engineering, distributed analysis, wind-tunnel

10 Bibliography of recent publications on computer communication Martha Steenstrup

January 1998 ACM SIGCOMM Computer Communication Review, Volume 28 Issue 1

Full text available: pdf(2.02 MB) Additional Information: full citation, abstract, index terms

The quantitative results presented in our SIGCOMM '97 paper [1] include numerous minor errors. These errors were caused by programming bugs that led to faulty analyses and simulations, and by inaccurate transcriptions during the preparation of the paper. Here we present corrected figures and tables, as well as corrections to values that appeared in the text of the original paper. The effect of correcting the errors is to reduce the differences between the results based on the proxy trace and tho ...

11 Bibliography of recent publications on computer communication Martha Sreenstrup

October 1995 ACM SIGCOMM Computer Communication Review, Volume 25 Issue 5

Full text available: pdf(1.44 MB) Additional Information: full citation, index terms

12 Windows 2000 deployment technical challenges at the University of Colorado at Boulder

Brad Judy, Al Roberts, David Bodnar

October 2000 Proceedings of the 28th annual ACM SIGUCCS conference on User services: Building the future

Full text available: pdf(156.15 KB) Additional Information: full citation, index terms

Keywords: DNS, Windows 2000, active directory, kerberos

13 Helpdesk drew.edu: home growing a helpdesk solution using open-source technology John Saul, Betsy Black, Erik Larsson

October 2000 Proceedings of the 28th annual ACM SIGUCCS conference on User services: Building the future

Full text available: pdf(192.35 KB) Additional Information: full citation, references, citings, index terms

Keywords: MySQL, PHP, helpdesk, open-source technology, tickets, trouble tracking

14 A case for data-driven testing

Tony Greening, Glenn Stevens, David Stratton

July 2000 ACM SIGCSE Bulletin, Proceedings of the 5th annual SIGCSE/SIGCUE ITiCSEconference on Innovation and technology in computer science education, Volume 32 Issue 3

Full text available: pdf(405.31 KB) Additional Information: full citation, abstract, references, index terms

This paper describes a novel approach to the on-line assessment of large groups of students, in which it may be desirable to maintain common questions between the groups. It is clear from the literature that computer based assessment has the potential to dramatically reduce the effort involved in testing and marking however problems arise where the cohort of students is larger than the number of available computers. However, the opposite situation is often true in practice, due to the perceived ...

¹⁵ Remedial help desk 101 at Florida State University

Diana Orrick, Jeff Bauer, Ernest McDuffie

October 2000 Proceedings of the 28th annual ACM SIGUCCS conference on User services: Building the future

Full text available: pdf(161.50 KB) Additional Information: full citation, references, index terms

Keywords: help desk, self-help knowledge base, user support

16 Digital certificates: a survey of revocation methods

Petra Wohlmacher

November 2000 Proceedings of the 2000 ACM workshops on Multimedia

Full text available: pdf(455.31 KB)

Additional Information: full citation, abstract, references, citings, index terms

Digital certificates form a basis that allows entities to trust each other. Due to different constraints, a certificate is only valid within a specific period of time. Coming from several threats, there are important reasons why its validity must be terminated sooner than assigned and thus, the certificate needs to be revoked. This paper provides a classification of revocation methods and gives an overview of the main methods like CRL, CRS, CRT, and OCSP. If and in which way a revocation meth ...

Keywords: CRL, CRS, CRT, OCSP, X.509, attribute certificate, digital certificate, public-key certificate, revocation

Results 1 - 16 of 16

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player

HEEE HOME I SEARCH HEEE I SHOP I WEB ACCOUNT I CONTACT HEEE



Membership Publications/Services Standards Conferences Careers/Jobs Welcome **United States Patent and Trademark Office** » Se **Quick Links** FAQ Terms IEEE Peer Review March 10 In Late Colors O- Home Your search matched 10 of 1047691 documents. ()- What Can A maximum of 500 results are displayed, 50 to a page, sorted by Relevance ! Access? Descending order. O-Log-out Refine This Search: fable: 0 fortens You may refine your search by editing the current search expression or enteri new one in the text box. Claim of Control & Magazines Search authentication server r Conference ☐ Check to search within this result set Proceedings 🕽 – Standards **Results Key: JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard Search . O- By Author 1 Key distribution without individual trusted authentification servers ()→ Basic Liqun Chen; Gollmann, D.; Mitchell, C.; Or Advanced Computer Security Foundations Workshop, 1995. Proceedings., Eighth IEEE, June 1995 Pages:30 - 36 O- Join IEEE ()- Establish IEEE [Abstract] [PDF Full-Text (524 KB)] **IEEE CNF** Web Account 2 An authentication server in Java implementation of an encryption O- Access the framework model and DES algorithm in Java IEEE Member Batista De Almeida, L.; Godoy, W., Jr.; Kovaleski, J.L.; Digital Library Telecommunications Symposium, 1998. ITS '98 Proceedings. SBT/IEEE International, Volume: 2, 9-13 Aug. 1998 Print Format Pages:627 - 631 vol.2 [Abstract] [PDF Full-Text (432 KB)] **IEEE CNF** 3 Increasing availability and security of an authentication service Gona, L.; Selected Areas in Communications, IEEE Journal on , Volume: 11 , Issue: 5 , 1993 Pages:657 - 662 [PDF Full-Text (620 KB)] [Abstract] 4 On the Matsumoto and Imai human identification scheme Wang, C.-H.; Hwang, T.; Tsai, J.-J.; Computers and Digital Techniques, IEE Proceedings-, Volume: 142, Issue: 5 , Sept. 1995

Pages:313 - 317

[Abstract] [PDF Full-Text (288 KB)] IEE JNL

5 Authentication method with impersonal token cards

Molva, R.; Tsudik, G.;

Research in Security and Privacy, 1993. Proceedings., 1993 IEEE Computer S Symposium on , 24-26 May 1993

Pages:56 - 65

[Abstract] [PDF Full-Text (728 KB)] IEEE CNF

6 An architecture for user authentication of IP multicast and its implementation

Ishikawa, N.; Yamanouchi, N.; Takahashi, O.; Internet Workshop, 1999. IWS 99, 18-20 Feb. 1999 Pages:81 - 87

[Abstract] [PDF Full-Text (524 KB)] IEEE CNF

7 Secure delegation of tasks in distributed systems

Hardjono, T.; Chikaraishi, T.; Ohta, T.; TRON Project International Symposium. 1993., The 10th , 1-2 Dec. 1993 Pages:98 - 112

[Abstract] [PDF Full-Text (1268 KB)] IEEE CNF

8 Secure communication in internet environments: a hierarchical key management scheme for end-to-end encryption

Lu, W.-P.; Sundareshan, M.K.;

Communications, IEEE Transactions on , Volume: 37 , Issue: 10 , Oct. 1989 Pages: 1014 - 1023

[Abstract] [PDF Full-Text (1080 KB)] IEEE JNL

9 User-friendly access control for public network ports

Appenzeller, G.; Roussopoulos, M.; Baker, M.;

INFOCOM '99. Eighteenth Annual Joint Conference of the IEEE Computer and Communications Societies. Proceedings. IEEE, Volume: 2, 21-25 March 199! Pages: 699 - 707 vol.2

[Abstract] [PDF Full-Text (888 KB)] IEEE CNF

10 On belief evolution in authentication protocols

Kailar, R.; Gligor, V.D.;

Computer Security Foundations Workshop IV, 1991. Proceedings , 18-20 June 1991

Pages:103 - 116

[Abstract] [PDF Full-Text (960 KB)] IEEE CNF

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No. Robots Please | Release Notes | IEEE Online Publications | Help. | FAQ| Terms | Back to Top

Google

Web Images Groups News Froogle more »

Idap server store password

Search

Advanced Search Preferences

LDAP Directory Server

LDAP directory server

www.isode.com

Web

Results 1 - 10 of about 134,000 for Idap server store password. (0.40 seconds)

Building an LDAP Server on Linux, Part 4

... Building an LDAP Server on Linux, Part 4 December 10, 2003 By ... Il be discussing how to add security to our OpenLDAP server. ... We don't want to store the rootpw in ... networking.earthweb.com/netsysm/article.php/3287491 - 36k -

networking.earthweb.com/netsysm/article.php/3287491 - 36k - Cached - Similar pages

See your message here...

Sponsored Links

M-Vault: High performance, scalable

Launching IOM Servers

... The server definition can either be loaded from persistent storage (a file or LDAP server), or created ... The server definition is independent of the user. ... support.sas.com/rnd/itech/doc9/ dev_guide/dist-obj/winclnt/workman/launch.html - 23k - Cached - Similar pages

The A-Select Authentication System

... ssl.keystore.password, The password for the SSL keystore in which the certificates of SSL/LDAP Servers are stored. This directive ... a-select.surfnet.nl/version/1.3/config/asp/ldap.html - 9k - Cached - Similar pages

LDAP Authentication

... their own LDAP directory servers where they centrally store information on all the users of their computing equipment, including their user ids and passwords. ... philip.greenspun.com/doc/Idap-authentication - 4k - Cached - Similar pages

No more passwords in Starteam

... fact that Starteam doesn't store passwords any more ... Expired passwords and reseting accounts after too many ... network support team that manages the LDAP server.

... blogs.borland.com/rassiesmit/ archive/2004/06/21/559.aspx - 11k - <u>Cached</u> - <u>Similar pages</u>

OpenLDAP Authentication Setup

... These mechanisms require **storage** of the secrets in the SASL ... the client passes a service ticket to the **server**. ... in your slapd.conf if the **LDAP server** host's fully ... www.ameritech.net/users/mhwood/**Idap**-sec-setup.html - 7k - <u>Cached</u> - <u>Similar pages</u>

CRAM-MD5 Authentication

... the MD5 algorithm. The LDAP server then uses the client's stored password to determine whether the client used the right password. ... java.sun.com/products/jndi/ tutorial/ldap/security/crammd5.html - 7k - Cached - Similar pages

TrackStudio -- Hierarchical Issue Tracking Software

... A user can log into the system if his/her **password** matches the one **stored** in the ... to yes, TrackStudio is connected to the specified **LDAP server** during login ... www.trackstudio.com/documentation/ LDAP_Authentication.html - 18k - Cached - Similar pages

Preparing your LDAP server

... This object class will **store** the actual ... Roaming Profiles and will not use your **LDAP server** for anything ... Substitute your desired administrator **password** for the ... www.cerritoslug.org/tutorials/**Idap**/preparing.html - 10k - <u>Cached</u> - <u>Similar pages</u>

Re: comments to draft-ietf-Idapbis-authmeth-04.txt

... which mechanisms that are standardized by the LDAP standard do ... methods need/don't need the server to know ... of 'store' because it could still store the password ...

www.openIdap.org/lists/ ietf-Idapbis/200309/msg00045.html - 8k - Cached - Similar pages

Goooooooogie ▶

Result Page:

1 2 3 4 5 6 7 8 9 10

ldap server store password

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google



<u>Subscribe</u> (Full Service) <u>Register</u> (Limited Service, Free) <u>Login</u>

Search:

The ACM Digital Library

The Guide

+"same password"

Feedback Report a problem Satisfaction survey

Published since January 1947 and Published before December 2000

Found 29 of 106,392

Terms used same password

Sort results by

relevance

Save results to a Binder

Search Tips

Try an <u>Advanced Search</u>

Display expanded form

☐ Open results in a new window

Try this search in <u>The ACM Guide</u>

Results 1 - 20 of 29

Result page: 1 2

next

Relevance scale 🔲 📟 📟 🐯

Unified login with pluggable authentication modules (PAM)

Vipin Samar

January 1996 Proceedings of the 3rd ACM conference on Computer and communications security

Full text available: pdf(1.12 MB)

Additional Information: full citation, references, index terms

2 Password hardening based on keystroke dynamics

Fabian Monrose, Michael K. Reiter, Susanne Wetzel

November 1999 Proceedings of the 6th ACM conference on Computer and communications security

Full text available: pdf(1.01 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

We present a novel approach to improving the security of passwords. In our approach, the legitimate user's typing patterns (e.g., durations of keystrokes, and latencies between keystrokes) are combined with the user's password to generate a hardened password that is convincingly more secure than conventional passwords against both online and offline attackers. In addition, our scheme automatically adapts to gradual changes in a user's typing patterns while maintaining the s ...

Cryptanalysis of Microsoft's point-to-point tunneling protocol (PPTP) Bruce Schneier, Mudge

November 1998 Proceedings of the 5th ACM conference on Computer and communications security

Full text available: pdf(1.02 MB)

ЛB)

Additional Information: full citation, references, citings, index terms

4 ACM Forum: letters

Robert L. Ashenhurst

November 1984 Communications of the ACM, Volume 27 Issue 11

Full text available: pdf(460.71 KB) Additional Information: full citation, index terms

5	Public-key cryptography and password protocols Shai Halevi, Hugo Krawczyk August 1999 ACM Transactions on Information and System Security (TISSEC), Volume 2 Issue 3	
	Full text available: pdf(275.84 KB) Additional Information: full citation, abstract, references, citings, index terms, review	
	We study protocols for strong authentication and key exchange in asymmetric scenarios where the authentication server possesses ~a pair of private and public keys while the client has only a weak human-memorizable password as its authentication key. We present and analyze several simple password authentication protocols in this scenario, and show that the security of these protocols can be formally proven based on standard cryptographic assumptions. Remarkably, our analysis shows optimal re	
	Keywords : dictionary attacks, hand-held certificates, key exchange, passwords, public passwords, public-key protocols	
6	High dictionary compression for proactive password checking Francesco Bergadano, Bruno Crispo, Giancarlo Ruffo November 1998 ACM Transactions on Information and System Security (TISSEC), Volume	
	Full text available: pdf(141.89 KB) Additional Information: full citation, abstract, references, citings, index terms, review	
	The important problem of user password selection is addressed and a new proactive password-checking technique is presented. In a training phase, a decision tree is generated based on a given dictionary of weak passwords. Then, the decision tree is used to determine whether a user password should be accepted. Experimental results described here show that the method leads to a very high dictionary compression (up to 1000 to 1) with low error rates (of the order of 1%). A prototype implementat	
	Keywords : access control, decision trees, password selection, proactive password checking	
4	Easy entry: the password encryption problem Jason Gait July 1978 ACM SIGOPS Operating Systems Review, Volume 12 Issue 3	
	Full text available: pdf(527.20 KB) Additional Information: full citation, references	
8	Crisis and aftermath E. H. Spafford June 1989 Communications of the ACM, Volume 32 Issue 6	
	Full text available: pdf(1.18 MB) Additional Information: full citation, abstract, references, citings, index terms, review	
\sim	Last November the Internet was infected with a worm program that eventually spread to thousands of machines, disrupting normal activities and Internet connectivity for many days. The following article examines just how this worm operated.	
9	Password security: a case history Robert Morris, Ken Thompson	*****
	November 1979 Communications of the ACM, Volume 22 Issue 11	

Full text available: pdf(446.89 KB) Additional Information: full citation, abstract, references, citings

This paper describes the history of the design of the password security scheme on a remotely accessed time-sharing system. The present design was the result of countering observed attempts to penetrate the system. The result is a compromise between extreme security and ease of use.

Keywords: computer security, operating systems, passwords

10 Rassword authentication with insecure communication Leslie Lamport

November 1981 Communications of the ACM, Volume 24 Issue 11

Full text available: pdf(303.52 KB)

Additional Information: full citation, abstract, references, citings, index terms

A method of user password authentication is described which is secure even if an intruder can read the system's data, and can tamper with or eavesdrop on the communication between the user and the system. The method assumes a secure one-way encryption function and can be implemented with a microcomputer in the user's terminal.

Keywords: authentication, one-way function, passwords, security

11 Authentication in office system internetworks

Jay E. Israel, Theodore A. Linden

July 1983 ACM Transactions on Information Systems (TOIS), Volume 1 Issue 3

Full text available: pdf(1.28 MB) Additional Information: full citation, references, index terms

12 Apache User Authentication

Ibrahim F. Haddad October 2000 Linux Journal

Full text available: [8] html(13.41 KB) Additional Information: full citation, abstract, references, index terms

A guide to setting up user authentication for the Apache web server running on Linux, using the plaintext file method.

13 Protection and the control of information sharing in multics

Jerome H. Saltzer

July 1974 Communications of the ACM, Volume 17 Issue 7

Full text available: pdf(1.75 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>

The design of mechanisms to control the sharing of information in the Multics system is described. Five design principles help provide insight into the tradeoffs among different possible designs. The key mechanisms described include access control lists, hierarchical control of access specifications, identification and authentication of users, and primary memory protection. The paper ends with a discussion of several known weaknesses in the current protection mechanism design.

Keywords: Multics, access control, authentication, computer utilities, descriptors, privacy, proprietary programs, protected subsystems, protection, security, time-sharing systems, virtual memory

14 Securing user passwords April 2000 Communications of the ACM, Volume 43 Issue 4	
Full text available: pdf(104.85 KB) Additional Information: full citation, index terms	
15 Virtual Network Computing Brian Harvey	
February 1999 Linux Journal	
Full text available: html(10.93 KB) Additional Information: full citation, abstract, references, index terms	
Mr. Harvey tells us about virtual network computing and how to set it up to control MS Windows Application from Linux	
16 Public-key cryptography and password protocols: the multi-user case Maurizio Kliban Boyarsky November 1999 Proceedings of the 6th ACM conference on Computer and	******
communications security	
Full text available: pdf(1.00 MB) Additional Information: full citation, abstract, references, citings, index terms	
The problem of password authentication over an insecure network when the user holds or a human-memorizable password has received much attention in the literature. The first rigorous treatment was provided by Halevi and Krawczyk, who studied off-line password guessing attacks in the scenario in which the authentication server possesses a pair of private and public keys. In this work we: Show the inadequacy of both the HK formalization and protocol in the	
17 Linux Systems Administration: Maximizing Linux Security, Part I January 1996 Linux Journal	
Full text available: html(27.63 KB) Additional Information: full citation, references, index terms	
18 Creating usable e-commerce sites Janice Anne Rohn	
18 Creating usable e-commerce sites Janice Anne Rohn September 1998 StandardView, Volume 6 Issue 3	
18 Creating usable e-commerce sites Janice Anne Rohn	
18 Creating usable e-commerce sites Janice Anne Rohn September 1998 StandardView, Volume 6 Issue 3	
 18 Creating usable e-commerce sites Janice Anne Rohn September 1998 StandardView, Volume 6 Issue 3 Full text available: pdf(316.30 KB) Additional Information: full citation, references, citings, index terms 19 Microcomputer management of the Bank of New England William Jennings September 1986 Proceedings of the Northeast ACM symposium on Personal computer security 	
18 Creating usable e-commerce sites Janice Anne Rohn September 1998 StandardView, Volume 6 Issue 3 Full text available: pdf(316.30 KB) Additional Information: full citation, references, citings, index terms 19 Microcomputer management of the Bank of New England William Jennings September 1986 Proceedings of the Northeast ACM symposium on Personal computer	
 18 Creating usable e-commerce sites Janice Anne Rohn September 1998 StandardView, Volume 6 Issue 3 Full text available: pdf(316.30 KB) Additional Information: full citation, references, citings, index terms 19 Microcomputer management of the Bank of New England William Jennings September 1986 Proceedings of the Northeast ACM symposium on Personal computer security 	
18 Creating usable e-commerce sites Janice Anne Rohn September 1998 StandardView, Volume 6 Issue 3 Full text available: pdf(316.30 KB) Additional Information: full citation, references, citings, index terms 19 Microcomputer management of the Bank of New England William Jennings September 1986 Proceedings of the Northeast ACM symposium on Personal computer security Full text available: pdf(717.74 KB) Additional Information: full citation, index terms 20 ID-based secret-key cryptography Marc Joye, Sung-Ming Yen	

and uniquely binded to an identity. This enables to extend public-key cryptography features at the high throughput rate of secret-key cryptography. As applications, efficient login protocols, an enhanced version of Kerberos, and an ID-based MAC algorithm are presented.ID-based systems were initially developed in the context of public-key cryptography by removing the need of explicit public keys. The ...

Keywords: ID-based systems, Kerberos, MACs, authentication protocols, one-time passwords, secret-key cryptography

Results 1 - 20 of 29

Result page: 1 2 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player



Web Images Groups <u>News</u> Froogle more »

authentication server

Search

Advanced Search Preferences

Web

Results 1 - 10 of about 2,540,000 for authentication server. (0.44 seconds)

Internet Authentication Service for Windows 2000 Server ... Internet Authentication Service for Windows 2000 Server. The Microsoft Windows 2000 Server family includes the Internet Authentication ...

www.microsoft.com/windows2000/ technologies/communications/ias/ -51k - Cached - Similar pages

Lugent - NavisRadius™ Authentication Server NavisRadius™ Authentication Server. Description. The latest release of NavisRadius™ (part of the Lucent line of commercial AAA ... www.lucent.com/products/solution/0,,CTID+2020-STID+10438-SOID+692-LOCL+1,00.html - 36k - Jun 30, 2004 -Cached - Similar pages

NoCatAuth Authentication Server Configuration ... 80211Planet.com Tutorials NoCatAuth Authentication Server Configuration By Matt Gunter. ... You now have your authentication server configured and are ready to go. ... www.wi-fiplanet.com/tutorials/article.php/3286631 - 61k -Cached - Similar pages

Kyberpass Corporation - enabling high-trust electronic Search, Kyberpass Logo, What's New: June 14, 2004. Kyberpass Supports Pharmaceutical Industry's SAFE Technical Proof of Concept. June 11, 2004. ... www.kyberpass.com/ - 24k - Cached - Similar pages

Sponsored Links

Authentication server Find the best prices and deals. Compare products, shops and reviews www.nextag.com

Aradial Radius Server Great Price/Performance/Flexability Windows/Unix, with Web based admin www.aradial.com

Authentication server Find Solutions for Your Business. Free Reports, Info & Registration! www.KnowledgeStorm.com

Net Traffic Monitoring Net traffic & activity surveillance Tool for net security. Download now www.javvin.com

See your message here...

Definition of Authentication Server

Definition of Authentication Server. An Authentication Server is a system which provides Authentication services to other systems on a network. ... mtechit.com/concepts/authentication server.html - 13k - Cached - Similar pages

Radius Authentication Server

... Radius Authentication Server. The PAMPIN server contains a fully adequate radius server, on which the users and the corresponding ... www.celeris.ch/en/products/ pampin_radius_authentication_server.cfm - 14k -Cached - Similar pages

The SCO Group, Inc. | Products | Vintela Authentication from SCO Vintela Authentication from SCO Release 2.2. UNIX Authentication & Identity Management Using Microsoft® Active Directory®. Finally ... www.caldera.com/products/authentication/ - 18k - Jun 30, 2004 - Cached - Similar pages

MCF Software's MacRADIUS Authentication Server Product Summary ... Please bear with us while we make improvements. Click here to see what's new in MacRADIUS Version 1.2. Download MacRADIUS Authentication Server. ... www.macradius.com/ - 7k - Cached - Similar pages

The GNU Hurd - GNU Project - Free Software Foundation (FSF)

... process wants to make use of the authentication protocol described earlier in this text,

fakeauth will forward the request to its own auth server, which will ... www.gnu.org/software/hurd/auth.html - 12k - Cached - Similar pages

Authentication Server

... Authentication Server. ... The API allows the server to delegate its access control policies for portions of its document tree to a separate authentication server. ... support.zeus.com/doc/examples/zdac/auth_serv.html - 41k - <u>Cached - Similar pages</u>

Gooooooooogie, >

Result Page:

1 <u>2 3 4 5 6 7 8 9 10</u>

authentication server

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google

L Number	Hits	Search Text	DB	Time stamp
- Number	243	<pre>@ad<20001214 and (ldap) and password and (user userid login) and database and application and access\$3</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/07/01 07:52
-	213	@ad<20001214 and (ldap) and password and (user userid login) and database and (application same access\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/28
-	65	@ad<20001214 and (ldap same database) and (password same (user userid login)) and (application same access\$3) and (713/\$.ccls. 709/\$.ccls. 705/\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/28
-	66	380/\$.ccls.) @ad<20001214 and (ldap) and (password same (user userid login) same database) and (application same access\$3) and (713/\$.ccls. 709/\$.ccls. 705/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/28 13:37
_	5	380/\$.ccls.) @ad<20001214 and (ldap) and (password same (user userid login) same database same central) and (application with access\$3) and (713/\$.ccls. 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/28 13:47
_	541	705/\$.ccls. 380/\$.ccls.) @ad<20001214 and (password same database same regist\$9)	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/06/28 13:47
_	85	<pre>@ad<20001214 and (password same database same regist\$9) and (access\$3 same application) and (application near5 (id identity identif\$9))</pre>	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/06/28 13:50
-	25	(@ad<20001214 and (password same database same regist\$9) and (access\$3 same application) and (application near5 (id identity identif\$9))) and 713/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/06/28 14:04
_	0	(("EP\$-\$919904\$-\$") or ("EP\$-\$949788\$-\$")).PN.	USPAT; US-PGPUB; EPO; JPO;	2004/06/28 14:04
_	13	"919904" "949788"	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/06/28 14:33
-	150	713/152,155,202,183,168.ccls. and 709/203,229.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/06/28 14:34
_	5	(713/152,155,202,183,168.ccls. and 709/203,229.ccls.) and ldap	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/06/28 14:34
_	17	(713/152,155,202,183,168.ccls. and 709/203,229.ccls.) and 707/10.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/06/28 14:46
_	1	6324648.pn. and password	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/06/28 16:03
_	394	ldap same password same (user userid name username)	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/06/28 16:03
_	7	<pre>ldap same password same (user userid name username) same (access\$3 near application)</pre>	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/28 16:04

-	44	ldap same password same (user userid name	USPAT;	2004/06/28
		username) same (access\$3 with	US-PGPUB;	16:04
		application)	EPO; JPO;	
	0.1		IBM_TDB	0004/05/00
-	21	ldap same password same (user userid name	USPAT;	2004/06/29
		username) same (access\$3 with	US-PGPUB;	07:20
		application) same authenticat\$3	EPO; JPO;	
1_	21	ldap same (password with (user userid	IBM_TDB USPAT;	2004/06/29
		name username)) same (access\$3 with	US-PGPUB;	07:21
		application) same authenticat\$3	EPO; JPO;	0,.21
		application, bank additioned addy	IBM TDB	
_	138	database same (password with (user userid	USPAT;	2004/06/29
		name username)) same (access\$3 with	US-PGPUB;	07:26
		application) same authenticat\$3	EPO; JPO;	
			IBM TDB	
-	40	(database same (password with (user	USPĀT;	2004/06/29
		userid name username)) same (access\$3	US-PGPUB;	07:22
		with application) same authenticat\$3) and	EPO; JPO;	
		(713/152,155,202,183,168.ccls.	IBM_TDB	
		709/203,229.ccls. 707/10.ccls.)		
-	31	(database same (password with (user	USPAT;	2004/06/29
		userid name username)) same (access\$3	US-PGPUB;	07:24
		with application) same authenticat\$3) and	EPO; JPO;	
	4.0	(authorized near3 application)	IBM_TDB	2004/06/20
_	42	database same (password with (user userid	USPAT;	2004/06/29
		name username)) same (access\$3 with application) same authenticat\$3 same	US-PGPUB; EPO; JPO;	07:34
		(application with (authoriz\$5 allow\$5))	IBM TDB	
_	16	(database same (password with (user	USPAT;	2004/06/29
		userid name username)) same (access\$3	US-PGPUB;	07:36
		with application) same authenticat\$3 same	EPO; JPO;	
		(application with (authoriz\$5 allow\$5)))	IBM TDB	
		and @ad<20001214	_	
-	1	("6598167").PN.	USPAT;	2004/06/29
			US-PGPUB;	07:51
			EPO; JPO;	
			IBM_TDB	
-	5	(("6240512") or ("6178511") or	USPAT;	2004/06/29
		("6243816") or ("5,838,903") or	US-PGPUB;	07:53
		("5862323")).PN.	EPO; JPO;	
	63	@ad<20001214 and (ldap) and password and	IBM_TDB USPAT;	2004/06/29
-	63	"user ID" and login and server and	US-PGPUB;	08:32
		application and authenticat\$3 and verif\$9	EPO; JPO;	00.32
		and database	IBM TDB	
_	94	@ad<20001214 and (database same (password	USPAT;	2004/06/29
		same "user ID")) and server and	US-PGPUB;	08:33
		(application with (id ident\$12)) and	EPO; JPO;	
		authenticat\$3 and verif\$9	IBM_TDB	
-	109	@ad<20001214 and (database same (password	USPĀT;	2004/06/29
		same "user ID")) and server and	US-PGPUB;	08:35
		(application with (id ident\$12)) and	EPO; JPO;	
		authenticat\$3	IBM_TDB	0004/06/00
	17	@ad<20001214 and (database same (password	USPAT;	2004/06/29
		same "user ID")) and server and	US-PGPUB;	08:36
		((application adj2 (id ident\$12)) same database) and authenticat\$3	EPO; JPO; IBM TDB	
_	13	Gad<20001214 and (database same (password	USPAT;	2004/06/29
	13	same "user ID")) and server and	US-PGPUB;	08:39
		((application adj2 (id ident\$12)) same	EPO; JPO;	,
		database) and authenticat\$3 and regist\$9	IBM TDB	
-	13	@ad<20001214 and (database same (password	USPAT;	2004/06/29
		same "user ID")) and ((application adj2	US-PGPUB;	08:41
		(id ident\$12)) same database) and	EPO; JPO;	
		authenticat\$3 and regist\$9	IBM_TDB	
-	643	@ad<20001214 and (identifying adj2	USPĀT;	2004/06/29
		application)	US-PGPUB;	08:42
			EPO; JPO;	
L			IBM TDB	

			·	
-	3	(@ad<20001214 and (database same	USPAT;	2004/06/29
		(password same "user ID")) and server and	US-PGPUB;	08:43
		(application with (id ident\$12)) and	EPO; JPO;	1
		authenticat\$3) and (identifying adj2	IBM_TDB	l i
		application)		
-	1	20020116648.pn.	USPAT;	2004/06/29
			US-PGPUB;	15:10
		•	EPO; JPO;	
			IBM_TDB	0001105100
_	0		USPAT;	2004/06/29
		and (central with (authenticat\$3	US-PGPUB;	08:45
		authoriz\$5))	EPO; JPO;	
		0-4420001214 1 (-1111 -111 -1	IBM_TDB	2004/06/20
_	0	@ad<20001214 and (single adj sign adj on)	USPAT;	2004/06/29
			US-PGPUB;	08:45
			EPO; JPO;	
-	103	 @ad<20001214 and ("single sign-on")	IBM_TDB USPAT;	2004/06/29
_	103	ead<20001214 and (Single Sign-on)	US-PGPUB;	08:45
			EPO; JPO;	00:45
			IBM TDB	
	0	 @ad<20001214 and ("single sign on")	USPAT;	2004/06/29
			US-PGPUB;	08:45
			EPO; JPO;	00.15
			IBM TDB	
_	565	@ad<20001214 and ("single sign-on" SSO)	USPAT;	2004/06/29
		caasacootati and single sign on sso)	US-PGPUB;	08:45
			EPO; JPO;	
			IBM TDB	
-	12	@ad<20001214 and ("single sign-on" SSO)	USPAT;	2004/06/29
		and (authenticat\$3 authoriz\$3) and	US-PGPUB;	09:25
		password and ((identif\$5 id) near	EPO; JPO;	
		application) and ldap and database	IBM TDB	
_	1		USPAT;	2004/06/29
			US-PGPUB;	14:18
			EPO; JPO;	
			IBM_TDB	
_	6	US-5544246-\$.DID. OR US-5950199-\$.DID. OR	USPAT;	2004/06/29
		US-5218696-\$.DID. OR US-6032216-\$.DID. OR	US-PGPUB;	09:58
		US-6023464-\$.DID. OR US-6009103-\$.DID.	EPO; JPO;	
	2	/UC E (4424 C & DID OD UC E 0 E 0 100 & DID	IBM_TDB	2004/06/29
_	2	(US-5544246-\$.DID. OR US-5950199-\$.DID.	USPAT; US-PGPUB;	09:58
		OR US-5218696-\$.DID. OR US-6032216-\$.DID. OR US-6023464-\$.DID. OR	EPO; JPO;	00.00
		US-6009103-\$.DID.) and password	IBM TDB	
_	5	(US-5544246-\$.DID. OR US-5950199-\$.DID.	USPAT;	2004/06/29
		OR US-5218696-\$.DID. OR US-6032216-\$.DID.	US-PGPUB;	10:02
		OR US-6023464-\$.DID. OR	EPO; JPO;	
		US-6009103-\$.DID.) and database	IBM TDB	
_	167	@ad<20001214 and password same registry	USPAT;	2004/06/29
			US-PGPUB;	10:03
			EPO; JPO;	
			IBM_TDB	
_	17	@ad<20001214 and password same registry	USPAT;	2004/06/29
		and ldap	US-PGPUB;	10:13
		·	EPO; JPO;	
			IBM_TDB	
_	1777	@ad<20001214 and password with (database	USPAT;	2004/06/29
		repository)	US-PGPUB;	10:13
			EPO; JPO;	
			IBM_TDB	0004/06/55
	1777	@ad<20001214 and (password with (database	USPAT;	2004/06/29
		repository))	US-PGPUB;	10:13
			EPO; JPO;	
	070		IBM_TDB USPAT;	2004/06/20
-	279		US-PGPUB;	2004/06/29
		repository)) same application	EPO; JPO;	10.13
			IBM TDB	
L	I			ı _ 1

		· · · · · · · · · · · · · · · · · · ·		
-	30	<pre>@ad<20001214 and (password with (database repository)) same (application with authoriz\$7)</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/06/29 10:21
-	1	("20020073309").PN.	IBM_TDB USPAT;	2004/06/29 10:34
			US-PGPUB; EPO; JPO; IBM_TDB	
-	1	("20020073309").PN.	USPAT; US-PGPUB; EPO; JPO;	2004/06/29
_	1	("6754825").PN.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/29 13:37
_	309	applications with passwords	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/29 14:04
_	69	(applications with passwords) and (password with (database registry repository))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/29 14:04
-	27	((applications with passwords) and (password with (database registry repository))) and @ad<20001214	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/06/29 14:04
_	4006	attribute same (refer\$7 with object)	USPĀT; US-PGPUB; EPO; JPO;	2004/06/29 14:20
_	1293	attribute with (refer\$7 near3 object)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/29 14:19
-	7	attribute with (refer\$7 near3 object) same password	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/29 14:19
-	216	attribute with (refer\$7 near3 object) same user	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/29 14:19
-	6	(attribute with (refer\$7 near3 object) same password) and (attribute with (refer\$7 near3 object) same user)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/29 14:19
~	6	attribute same (referral with object)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/29 15:03
-	0	(compare adj2 all) with passwords	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/29 15:03
-	0	(compar\$3 with all) with passwords	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/29 15:04
-	3540	(compar\$5) with passwords	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/29 15:04
-	64	(compar\$5) with (many total all multiple every each) with passwords	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/29 15:05
_	1	20020116648.pn. and authenticat\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/01 11:21
			IBM TDB	

-	61	"password manager"	USPAT;	2004/07/01
			US-PGPUB;	08:29
			EPO; JPO; IBM TDB	
_	971	(compar\$3 with password) same match	USPAT;	2004/07/01
		(comparys wren password) same materi	US-PGPUB;	08:29
			EPO; JPO;	
			IBM TDB	
_	0	(compar\$3 with password) same match same	USPAT;	2004/07/01
		("all" near3 password)	US-PGPUB;	08:29
			EPO; JPO;	
	0	/acmount? with magazzard) some match some	IBM_TDB USPAT;	2004/07/01
_	"	<pre>(compar\$3 with password) same match same (each near3 password)</pre>	US-PGPUB;	2004/07/01
		(each hears password)	EPO; JPO;	00.30
		•	IBM TDB	
	10	(compar\$3 with password) same match same	USPĀT;	2004/07/01
		(every near3 password)	US-PGPUB;	08:30
			EPO; JPO;	
			IBM_TDB	
-	37626	700/\$.ccls.	USPAT;	2004/07/01
			US-PGPUB;	11:21
			EPO; JPO; IBM TDB	
_	995	700/\$.ccls. and (password "access code"	USPAT;	2004/07/01
	995	"entry code")	US-PGPUB;	11:22
		· · · · · · · · · · · · · · · · · · ·	EPO; JPO;	
			IBM_TDB	
-	581	(700/\$.ccls. and (password "access code"	USPĀT;	2004/07/01
		"entry code")) and @ad<20001214	US-PGPUB;	11:22
			EPO; JPO;	
	457	//700/6 gglg and /ncggggd "aggggg"	IBM TDB	2004/07/01
-	457	((700/\$.ccls. and (password "access code" "entry code")) and @ad<20001214) and	USPAT; US-PGPUB;	2004/07/01 11:23
		<pre>"entry code") and @ad<20001214) and (password)</pre>	EPO; JPO;	11.20
		(Password)	IBM TDB	
-	159	(((700/\$.ccls. and (password "access	USPAT;	2004/07/01
		code" "entry code")) and @ad<20001214)	US-PGPUB;	12:35
		and (password)) and (password with	EPO; JPO;	
		(check\$3 match\$3 compar\$5 verif\$9	IBM_TDB	
	4.70	validat\$3 authenticat\$3 authoriz\$5))	TTODAM.	2004/07/01
_	118	(((700/\$.ccls. and (password "access code" "entry code")) and @ad<20001214)	USPAT; US-PGPUB;	2004/07/01
		and (password)) and (password with	EPO; JPO;	12.50
		(check\$3 match\$3 compar\$5 verif\$9	IBM TDB	
		validat\$3 authenticat\$3 authoriz\$5)) and		
		level		
-	12	(((700/\$.ccls. and (password? "access	USPAT;	2004/07/02
1		code" "entry code")) and @ad<20001214))	US-PGPUB;	06:49
		and (password? with (check\$3 match\$3	EPO; JPO;	
		compar\$5 verif\$9 validat\$3 authenticat\$3 authoriz\$5)) and (stor\$3 with passwords)	IBM_TDB	
_	34	authoriz\$5)) and (stor\$3 with passwords) 'credential server'	USPAT;	2004/07/02
	34	Cledelicial Beliver	US-PGPUB;	06:50
1			EPO; JPO;	
1			IBM_TDB	
-	57	"password manager"	USPĀT;	2004/07/02
1			US-PGPUB;	06:51
			EPO; JPO;	
	2000	"authortigation garren"	IBM_TDB USPAT;	2004/07/02
-	2069	"authentication server"	USPAT; US-PGPUB;	06:51
			EPO; JPO;	00.31
			IBM TDB	
_	1153	"authentication server" and (regist\$9)	USPAT;	2004/07/02
			US-PGPUB;	06:51
			EPO; JPO;	
			IBM_TDB	0004/07/00
-	746	, ,	USPAT;	2004/07/02
		and (password)	US-PGPUB; EPO; JPO;	06:52
			IBM TDB	
L	<u> </u>		T DM T DD .	<u></u>

1149 server same stor\$3 same passwords					
368 server with stor\$3 with passwords IBM_TDB USPAT; US-POPUB; EPO, JPO; IBM_TDB USPAT;	_	1149	server same stor\$3 same passwords	·	2004/07/02 06:53
368 server with stor\$3 with passwords USFAT; US-PGPUB; EPO; JPO; JPO; IBM TUB USFAT; US-PGPUB; EPO; JPO; JBO; JBO; JBO; JBO; JBO; JBO; JBO; JB					
06:53 Server with stor\$3 with passwords and authenticat\$3 and (send\$3 with passwords) and authentication authentication authentication Server and (database Server with applications) Server With applications	1_	260	goming with store? with passyonds		2004/07/02
Consolidation authentication server Consolidation authentication s		366	server with storys with passwords	· ·	
225					
authenticat\$3			<u> </u>		
Server with stor\$3 with passwords and authenticat\$3 and (send\$3 with password?) SPR7; USPR7; USP	-	225			
Server with stor\$3 with passwords) and authenticat\$3 and (send\$3 with passwords) and authenticat\$3 and (send\$3 with passwords) SPR7; US-DCPUB;			adeliencicacys		00.55
authenticat\$3 and (send\$3 with password?) authentication adj specific adj authentication authentication server" and (database with applications) authentication server" and (server" with application authentication server" with application authentication server" with application authentication server" with application authentication server with application application requestor) authentication server" and (determins9 with application) authentication server" and (determins9 with application) authentication server" and (determins9 with application) authentication server and (fidentifs9 with application) authen				IBM_TDB	
application adj specific adj 1907	-	26	(server with stor\$3 with passwords) and		
11			authenticat\$3 and (send\$3 with password?)	· · · · · · · · · · · · · · · · · · ·	07:05
11 application adj specific adj authentication USPAT; 2004/07/02 07:08 PGPUB; EPO; JPO; TBM TDB USPAT; with applications) USPAT; U					
### Top	_	11		USPAT;	
TIME TOB STATE			authentication	•	07:08
- 176 "authentication server" and (database USPAT: US-PGPUB; EPO; JPO; IBM TDB USPAT:					
with applications US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PCPUB; EPO; JPO; IBM TDB U	-	176	"authentication server" and (database	_	2004/07/02
33 (stor\$3 and password).ti.			with applications)		07:33
- 33 (stor\$3 and password).ti. USPAT; US-PGPUB; EPO; JPO; 18M TDB USPAT; US-PGPUB; EPO					
Consolidat\$3 near3 password	_	33	(stor\$3 and password).ti.		2004/07/02
TBM_TDB			, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
-					
US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-RGPUB; US-RGPUB; EPO; JPO; IBM_TDB USPAT; US-RGPUB; US-RGPUB; US-RGPUB; US-RGP	_	7	consolidat\$3 near3 nassword		2004/07/02
Page	-	,	Consolidaty3 Heal3 password	· ·	
3				EPO; JPO;	
US-PGPUB; REPO; JPO; IBM TDB USPAT; US-PGPUB; REPO; JPO; JPO; IBM TDB USPAT; US-		1.0			2004/07/02
Temperature	-	13	"application authentication server"		
288					07.19
identif99 ascertain\$5) near2 (application requestor)					
requestor)) - 274 "authentication server" and ((determin\$9 identif\$9 ascertain\$5) near2 (application)) - 206 "authentication server" and ((determin\$9 identif\$9 ascertain\$5) near2 (application)) and database and password - 4 "authentication server" and ((determin\$9 identif\$9 ascertain\$5) near2 (application)) and database and password - 4 "authentication server" and (((determin\$9 identif\$9 ascertain\$5) near2 (application)) same database same password) - 3 "authentication server" and (((identif\$9 identif\$9 ascertain\$5) near2 (application)) same database same password) - 3 "authentication server" and (((identif\$9 identif\$9 ide	_	288			
Tauthentication server and ((determin\$9 IBM_TDB USPAT; (application))					07:30
identif\$9 ascertain\$5) near2 (application)			•		
(application)) - 206 "authentication server" and ((determin\$9 identif\$9 ascertain\$5) near2 (application)) and database and password EPO; JPO; IBM TDB USPĀT; US-PGPUB; (application) same database same password) - 4 "authentication server" and (((determin\$9 identif\$9 ascertain\$5) near2 (application)) same database same password) - 3 "authentication server" and (((identif\$9 ibm TDB uspĀT; US-PGPUB; EPO; JPO; IBM TDB uspĀT	_	274			
- 206 "authentication server" and ((determin\$9) identif\$9 ascertain\$5) near2 (application) and database and password - 4 "authentication server" and (((determin\$9) identif\$9 ascertain\$5) near2 (application)) same database same password) - 3 "authentication server" and (((identif\$9) identif\$9 ascertain\$5) near2 (application)) same database same password) - 0 "authentication server" and (((identif\$9) identif\$9 identif\$10 ide					07:50
- 206 "authentication server" and ((determin\$9 identif\$9 ascertain\$5) near2 (application)) and database and password (IBM_TDB (IB			(application)		
(application)) and database and password authentication server" and (((determin\$9 identif\$9 ascertain\$5) near2 (application)) same database same password) authentication server" and (((identif\$9 iben password)) authentication server" and (((identif\$9 iben password)) authentication server" and ((identif\$9 iben password)) authentication server" and ((plurality iben password)) authentication server" and ((plurality iben iben jassword) authentication server" and ((plurality iben jassword)) authentication server" and ((plurality iben jassword) authentication) authentication server" and (-	206		USPĀT;	
- 4 "authentication server" and (((determin\$9 identif\$9 ascertain\$5) near2 (application)) same database same EPO; JPO; password) - 3 "authentication server" and (((identif\$9 iben JPD; password)) inear2 (application)) same database same password) - 0 "authentication server" and ((identif\$9 iben JPD; password) - 0 "authentication server" and ((plurality multiple many several) near3 passwords near3 per near3 user) - 2 ((plurality multiple many several) near3 passwords near3 per near3 user) - 2 ((plurality multiple many several) near3 passwords near3 per near3 user) - 3 ((different near passwords) with (different near applications)) - 3 "same" with password with applications with ??secure - 3 "same" with password with applications with ??secure - 3 "same" with password with applications with ??secure - 3 "same" with password with applications with ??secure					0/:50
- 4 "authentication server" and (((determin\$9 identif\$9 ascertain\$5) near2 (application)) same database same password) - 3 "authentication server" and (((identif\$9 ISPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; DY-FS3 US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; IBM_TDB USPAT; US			\apprication; and database and password		
(application)) same database same password) - 3 "authentication server" and (((identif\$9 USPAT; 2004/07/02 US-PGPUB; EPO; JPO; IBM_TDB USPAT; 2004/07/02 USPA	-	4		USPĀT;	I
password) "authentication server" and (((identif\$9) USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; U				· ·	07:51
"authentication server" and (((identif\$9)) near2 (application)) same database same password) "authentication server" and ((plurality multiple many several) near3 per near3 user) (plurality multiple many several) near3 passwords near3 per near3 user) (plurality multiple many several) near3 passwords near3 per near3 user) (different near passwords) with (different near applications)) (different near applications) "same" with password with applications with ??secure "same" with password with applications with ??secure "SPAT; 2004/07/02 07:55 EPO; JPO; IBM_TDB USPAT; 2004/07/02 07:55 US-PGPUB; EPO; JPO; IBM_TDB USPAT; 2004/07/02 08:17				l '	
near2 (application)) same database same password) 10 10 10 10 10 10 10 1	_	3	"authentication server" and (((identif\$9	USPĀT;	1 ' ' '
- 0 "authentication server" and ((plurality multiple many several) near3 passwords near3 per near3 user) - 2 ((plurality multiple many several) near3 passwords near3 per near3 user) - 2 ((plurality multiple many several) near3 passwords near3 per near3 user) - 3 ((different near passwords) with (different near applications)) - 3 "same" with password with applications with ??secure 1BM_TDB					07:53
- 0 "authentication server" and ((plurality multiple many several) near3 passwords near3 per near3 user) - 2 ((plurality multiple many several) near3 passwords near3 per near3 user) - 3 ((different near passwords) with (different near applications)) - 3 "same" with password with applications with ??secure 0 (vspAT; uspAT; usp			password)		
multiple many several) near3 passwords near3 per near3 user) ((plurality multiple many several) near3 USPAT; 2004/07/02 passwords near3 per near3 user) ((different near passwords) with (different near applications)) ((different near applications)) "same" with password with applications with ??secure multiple many several) near3 pus-page 2004/07/02 USPAT; 2004/07/02 07:54 EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	_	0	"authentication server" and ((plurality		2004/07/02
- 2 ((plurality multiple many several) near3 USPAT; 2004/07/02 passwords near3 per near3 user) - 6 ((different near passwords) with (different near applications)) - 3 "same" with password with applications with ??secure 1BM_TDB			multiple many several) near3 passwords	US-PGPUB;	I
- 2 ((plurality multiple many several) near3 USPĀT; 2004/07/02 07:55 - 6 ((different near passwords) with (different near applications)) - 3 "same" with password with applications with ??secure 2 ((plurality multiple many several) near3 USPĀT; US-PGPUB; EPO; JPO; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;			near3 per near3 user)		
passwords near3 per near3 user) US-PGPUB; EPO; JPO; IBM_TDB USPAT; (different near applications)) US-PGPUB; EPO; JPO; IBM_TDB US-PGPUB; EPO; JPO; IBM_TDB US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; VS-PGPUB; EPO; JPO;	_	2	((plurality multiple many several) near3		2004/07/02
- 6 ((different near passwords) with (different near applications)) - 3 "same" with password with applications with ??secure EPO; JPO; IBM_TDB USPAT; 2004/07/02 08:17 EPO; JPO; IBM_TDB USPAT; 2004/07/02 US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;			passwords near3 per near3 user)	US-PGPUB;	1 1
- 6 ((different near passwords) with (different near applications)) - 3 "same" with password with applications with ??secure ((different near passwords) with USPĀT; US-PGPUB; EPO; JPO; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;					
(different near applications)) US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; EPO; JPO;	_	· c	((different near nasswords) with		2004/07/02
EPO; JPO; IBM_TDB USPAT; 2004/07/02 with ??secure US-PGPUB; EPO; JPO;		"	(different near applications))		
- 3 "same" with password with applications USPAT; 2004/07/02 with ??secure US-PGPUB; EPO; JPO; 08:18				EPO; JPO;	
with ??secure US-PGPUB; 08:18 EPO; JPO;			Warnell with magground with applications		2004/07/02
EPO; JPO;	1 -	3			1
IBM TDB				EPO; JPO;	. = -
		<u></u>		IBM TDB	

-	3	single with password with applications	USPAT;	2004/07/02
		with ??secure	US-PGPUB;	08:18
			EPO; JPO;	
			IBM_TDB	
-	27	single with password with multiple with	USPAT;	2004/07/02
		applications	US-PGPUB;	09:18
İ			EPO; JPO;	
			IBM_TDB	
	271	(authentication adj server) and burden	USPAT;	2004/07/02
			US-PGPUB;	09:18
			EPO; JPO;	
			IBM_TDB	
-	18	(authentication adj server) same burden	USPAT;	2004/07/02
			US-PGPUB;	09:18
			EPO; JPO;	
			IBM TDB	